

Material Characteristics

Material Characteristics: Bushel Weight, Moisture Content, Angle of Repose, Coefficient of friction					
Material	Bushel Weight (lb)	Bushel Weight (Kg)	Moisture Content (% wet basis)	Angle of Repose (degrees)	Coefficient of Friction
Barley	48	22	14.5	28	0.53
Shelled Corn	56	25	15.5	27	0.51
Wheat	60	27	13.5	28	0.53
Oats	32	15	14	32	0.62
Soybeans	60	27	13	29	0.55